Annals of Pure and Applied Logic 60 (1993) 293–297
North-Holland

Master Index to Volumes 51–60

ABRAHAM, U. and SHELAH, S., A Δ_2^2 well-order of the reals and incompactness of $L(Q^{MM})$ 59 (1993) 1– 32
ABRAMSKY, S., Domain theory in logical form 51 (1991) 1– 77
ALLEN, B., Arithmetizing Uniform *NC* 53 (1991) 1– 50
ANDRETTA, A., Large cardinals and iteration trees of height ω 54 (1991) 1– 15
ARAI, T., A slow growing analogue to Buchholz' proof 54 (1991) 101–120
ASH, C.J., Generalizations of enumeration reducibility using recursive infinitary propositional sentences 58 (1992) 173–184

BAAZ, M. and LEITSCH, A., Complexity of resolution proofs and function introduction 57 (1992) 181–215
BAILEY, C. and DOWNEY, R., Tabular degrees in α-recursion theory 55 (1992) 205–236
BALDWIN, J.T. and SHELAH, S., The primal framework II: Smoothness 55 (1992) 1– 34
BARTOSZYNSKI, T. and SHELAH, S., Closed measure zero sets 58 (1992) 93–110
BASARAB, S.A., Relative elimination of quantifiers for Henselian valued fields 53 (1991) 51– 74
BAUMGARTNER, J.E., On the size of closed unbounded sets 54 (1991) 195–227
BERARDUCCI, A. and INTRIGILA, B., Combinatorial principles in elementary number theory 55 (1992) 35– 50
BERGER, U., Total sets and objects in domain theory 60 (1993) 91–117
BETHKE, I., Finite type structures within combinatory algebras 55 (1992) 101–123
BIANCONI, R., Model completeness results for elliptic and abelian functions 54 (1991) 121–136
BLASS, A., A game semantics for linear logic 56 (1992) 183–220
BLASS, A. and SCEDROV, A., Complete topoi representing models of set theory 57 (1992) 1– 26
BOSSI, A. and VALENTINI, S., An intuitionistic theory of types with assumptions of high-arity variables 57 (1992) 93–149
BRENDLE, J., JUDAH, H. and SHELAH, S., Combinatorial properties of Hechler forcing 58 (1992) 185–199
BUSS, S.R., Intuitionistic validity in T-normal Kripke structures 59 (1993) 159–173
BUSS, S.R., Propositional consistency proofs 52 (1991) 3– 29
BUSS, S.R., The undecidability of k-provability 53 (1991) 75–102

CAICEDO, X., Compactness and normality in abstract logics 59 (1993) 33– 43
CELLUCCI, C., Existential instantiation and normalization in sequent natural deduction 58 (1992) 111–148
CENZER, D. and REMMEL, J., Polynomial-time versus recursive models 54 (1991) 17– 58
CENZER, D. and REMMEL, J., Polynomial-time Abelian groups 56 (1992) 313–363
CENZER, D., DOWNEY, R., JOCKUSCH, C. and SHORE, R.A., Countable thin Π_1^0 classes 59 (1993) 79–139
CLOTE, P. and TAKEUTI, G., Bounded arithmetic for NC, ALogTIME, L and NL 56 (1992) 73–117
COOPER, S.B., HARRINGTON, L., LACHLAN, A.H., LEMPP, S. and SOARE, R.I., The d.r.e. degrees are not dense 55 (1992) 125–151

Elsevier Science Publishers B.V.

CROSSLEY, J.N. and REMMEL, J., Cancellation laws for polynomial-time p-isolated sets 56 (1992) 147–172

DAVYDOV, G. and DAVYDOVA, I., Tautologies and positive solvability of linear homogeneous systems 57 (1992) 27– 43
DAVYDOVA, I., *see* DAVYDOV, G. 57 (1992) 27– 43
DEKKER, J.C.E. and ELLENTUCK, E., Myhill's work in recursion theory 56 (1992) 43– 71
DOWNEY, R., Every recursive boolean algebra is isomorphic to one with incomplete atoms 60 (1993) 193–206
DOWNEY, R. and SLAMAN, T.A., On co-simple isols and their intersection types 56 (1992) 221–237
DOWNEY, R. and STOB, M., Friedberg splittings of recursively enumerable sets 59 (1993) 175–199
DOWNEY, R., *see* BAILEY, C. 55 (1992) 205–236
DOWNEY, R., *see* CENZER, D. 59 (1993) 79–139
DuBOSE, D.A., Determinacy and the sharp function on the reals 54 (1991) 59– 85
DuBOSE, D.A., Determinacy and the sharp function on the reals 55 (1992) 237–263
DuBOSE, D.A., Determinacy and extended sharp functions on the reals, Part II: Obtaining sharps from determinacy 58 (1992) 1– 28

ELLENTUCK, E., *see* DEKKER, J.C.E. 56 (1992) 43– 71

FARMER, W.M., A unification-theoretic method for investigating the k-provability problem 51 (1991) 173–214
FRIEDMAN, H.M. and HIRST, J.L., Reverse mathematics and homeomorphic embeddings 54 (1991) 229–253
FUCHINO, S., KOPPELBERG, S. and TAKAHASHI, M., On $L_{\infty\kappa}$-free Boolean algebras 55 (1992) 265–284
FUJITA, K., *see* TONINO, H. 57 (1992) 251–276

GALLIER, J.H., What's so special about Kruskal's theorem and the ordinal Γ_0? A survey of some results in proof theory 53 (1991) 199–260
GERMANO, G.M. and MAZZANTI, S., General iteration and unary functions 54 (1991) 137–178
GIRARD, J.-Y., On the unity of logic 59 (1993) 201–217
GITIK, M., The strength of the failure of the Singular Cardinal Hypothesis 51 (1991) 215–240
GITIK, M. and SHELAH, S., More on simple forcing notions and forcings with ideals 59 (1993) 219–238
GOLDRING, N., Woodin cardinals and presaturated ideals 55 (1992) 285–303
GONCHAREV, S., YAKHNIS, A. and YAKHNIS, V., Some effectively infinite classes of enumerations 60 (1993) 207–235

HARIZANOV, V.S., Uncountable degree spectra 54 (1991) 255–263
HARIZANOV, V.S., Some effects of Ash–Nerode and other decidability conditions on degree spectra 55 (1992) 51– 65
HARIZANOV, V.S., The possible Turing degree of the nonzero member in a two element degree spectrum 60 (1993) 1– 30
HARKLEROAD, L., Polynomial-time analogues of isolatedness 56 (1992) 173–182
HARRINGTON, L., *see* COOPER, S.B. 55 (1992) 125–151
HASKELL, D., A transfer theorem in constructive p-adic algebra 58 (1992) 29– 55
HAUSER, K., The indescribability of the order of the indescribable cardinals 57 (1992) 45– 91
HEINDORF, L., Moderate families in Boolean algebras 57 (1992) 217–250
HIRST, J.L., *see* FRIEDMAN, H.M. 54 (1991) 229–253
HOLLAND, K.L., Projective geometries of algebraically closed fields of characteristic zero 60 (1993) 237–260
HOLLY, J., *see* VAN DEN DRIES, L. 57 (1992) 161–179
HOLMES, M.R., Systems of combinatory logic related to Quine's 'New Foundations' 53 (1991) 103–133

HOLMES, M.R., Systems of combinatory logic related to predicative and 'mildly impredicative' fragments of Quine's 'New Foundations' 59 (1993) 45– 53
HURLBURT, K.R., Sufficiency conditions for theories with recursive models 55 (1992) 305–320
HYTTINEN, T. and TUURI, H., Constructing strongly equivalent nonisomorphic models for unstable theories 52 (1991) 203–248

INTRIGILA, B., *see* BERARDUCCI, A. 55 (1992) 35– 50
ISHIHARA, H., Constructive compact operators on a Hilbert space 52 (1991) 31– 37

JÄGER, G., Fixed points in Peano arithmetic with ordinals 60 (1993) 119–132
JIN, R. and KEISLER, H.J., Game sentences and ultrapowers 60 (1993) 261–274
JOCKUSCH Jr, C.G. and SOARE, R.I., Degrees of orderings not isomorphic to recursive linear orderings 52 (1991) 39– 64
JOCKUSCH, C., *see* CENZER, D. 59 (1993) 79–139
JUDAH, H., *see* BRENDLE, J. 58 (1992) 185–199
JUST, W., A more direct proof of a result of Shelah 53 (1991) 261–267

KANAMORI, A., Regressive partition relations, n-subtle cardinals, and Borel diagonalization 52 (1991) 65– 77
KAYE, R., KOSSAK, R. and KOTLARSKI, H., Automorphisms of recursively saturated models of arithmetic 55 (1992) 67– 99
KECHRIS, A.S., Boundedness theorems for dilators and ptykes 52 (1991) 79– 92
KECHRIS, A.S. and WOODIN, W.H., A strong boundedness theorem for dilators 52 (1991) 93– 97
KEISLER, H.J., From discrete to continuous time 52 (1991) 99–141
KEISLER, H.J., *see* JIN, R. 60 (1993) 261–274
KOJMAN, M. and SHELAH, S., The universality spectrum of stable unsuperstable theories 58 (1992) 57– 72
KO, K., On the computational complexity of integral equations 58 (1992) 201–228
KOPPELBERG, S., A construction of Boolean algebras from first-order structures 59 (1993) 239–256
KOPPELBERG, S., *see* FUCHINO, S. 55 (1992) 265–284
KOSSAK, R., *see* KAYE, R. 55 (1992) 67– 99
KOTLARSKI, H., *see* KAYE, R. 55 (1992) 67– 99
KRAJÍČEK, J., PUDLÁK, P. and TAKEUTI, G., Bounded arithmetic and the polynomial hierarchy 52 (1991) 143–153
KREISEL, G., On the idea(l) of logical closure 56 (1992) 19– 41
KRYNICKI, M. and MOSTOWSKI, M., Decidability problems in languages with Henkin quantifiers 58 (1992) 149–172
KUMABE, M., Generic degrees are complemented 59 (1993) 257–272
KUMMER, M. and STEPHAN, F., Weakly semirecursive sets and r.e. orderings 60 (1993) 133–150

LACHLAN, A.H., *see* COOPER, S.B. 55 (1992) 125–151
LANO, K., The intuitionistic alternative set theory 59 (1993) 141–156
LEITSCH, A., *see* BAAZ, M. 57 (1992) 181–215
LEMPP, S., *see* COOPER, S.B. 55 (1992) 125–151
LI, L., LI, H. and LIU, Y., A decision algorithm for linear sentences on a PFM 59 (1993) 273–286
LI, H., *see* LI, L. 59 (1993) 273–286
LINCOLN, P., MITCHELL, J., SCEDROV, A. and SHANKAR, N., Decision problems for propositional linear logic 56 (1992) 239–311
LINCOLN, P., SCEDROV, A. and SHANKAR, N., Linearizing intuitionistic implication 60 (1993) 151–177
LIU, Y., *see* LI, L. 59 (1993) 273–286
LOVE, J., Stability among r.e. quotient algebras 59 (1993) 55– 63
LOVEYS, J., Locally finite weakly minimal theories 55 (1992) 153–203

MACINTYRE, A., Schanuel's Conjecture and free exponential rings 51 (1991) 241–246
MANCOSU, P., Generalizing classical and effective model theory in theories of operations and classes 52 (1991) 249–308
MARCONE, A., Borel quasi-orderings in subsystems of second-order arithmetic 54 (1991) 265–291
MAREK, W., NERODE, A. and REMMEL, J., How complicated is the set of stable models of a recursive logic program? 56 (1992) 119–135
MASINI, A., 2-Sequent calculus: a proof theory of modalities 58 (1992) 229–246
MAZZANTI, S., *see* GERMANO, G.M. 54 (1991) 137–178
McLAUGHLIN, T.G., Eight problems about Nerode semirings (recursive ultrapowers) 56 (1992) 137–146
MENDLER, N.P., Inductive types and type constraints in the second-order lambda calculus 51 (1991) 159–172
MILLER, D., NADATHUR, G., PFENNING, F. and SCEDROV, A., Uniform proofs as a foundation for logic programming 51 (1991) 125–157
MITCHELL, J.C. and MOGGI, E., Kripke-style models for typed lambda calculus 51 (1991) 99–124
MITCHELL, J., *see* LINCOLN, P. 56 (1992) 239–311
MITCHELL, W.J., An infinitary Ramsey property 57 (1992) 151–160
MOGGI, E., *see* MITCHELL, J.C. 51 (1991) 99–124
MOSTOWSKI, M., *see* KRYNICKI, M. 58 (1992) 149–172

NADATHUR, G., *see* MILLER, D. 51 (1991) 125–157
NERODE, A., *see* MAREK, W. 56 (1992) 119–135
NESIN, A., PILLAY, A. and RAZENJ, V., Groups of dimension two and three over o-minimal structures 53 (1991) 279–296
NEVINS, T.A., Degrees of convex dependence in recursively enumerable vector spaces 60 (1993) 31– 47
NG, S.-A., Loeb extensions and ultrapowers of measures on fragments 60 (1993) 179–189

OTERO, M., The Joint embedding property in normal open induction 60 (1993) 275–290

PFENNING, F., *see* MILLER, D. 51 (1991) 125–157
PILLAY, A., *see* NESIN, A. 53 (1991) 279–296
PUDLÁK, P., *see* KRAJÍČEK, J. 52 (1991) 143–153

RATHJEN, M. and WEIERMANN, A., Proof-theoretic investigations on Kruskal's theorem 60 (1993) 49– 88
RAZENJ, V., One-dimensional groups over an o-minimal structure 53 (1991) 269–277
RAZENJ, V., *see* NESIN, A. 53 (1991) 279–296
REED, R.C., A decidable Ehrenfeucht theory with exactly two hyperarithmetic models 53 (1991) 135–168
REMMEL, J., *see* CENZER, D. 54 (1991) 17– 58
REMMEL, J., *see* CENZER, D. 56 (1992) 313–363
REMMEL, J., *see* CROSSLEY, J.N. 56 (1992) 147–172
REMMEL, J., *see* MAREK, W. 56 (1992) 119–135

SCEDROV, A., *see* BLASS, A. 57 (1992) 1– 26
SCEDROV, A., *see* LINCOLN, P. 56 (1992) 239–311
SCEDROV, A., *see* LINCOLN, P. 60 (1993) 151–177
SCEDROV, A., *see* MILLER, D. 51 (1991) 125–157
SEESE, D., The structure of the models of decidable monadic theories of graphs 53 (1991) 169–195
SHANKAR, N., *see* LINCOLN, P. 56 (1992) 239–311
SHANKAR, N., *see* LINCOLN, P. 60 (1993) 151–177
SHELAH, S., *see* ABRAHAM, U. 59 (1993) 1– 32
SHELAH, S., *see* BALDWIN, J.T. 55 (1992) 1– 34
SHELAH, S., *see* BARTOSZYNSKI, T. 58 (1992) 93–110
SHELAH, S., *see* BRENDLE, J. 58 (1992) 185–199

SHELAH, S., *see* GITIK, M. 59 (1993) 219–238
SHELAH, S., *see* KOJMAN, M. 58 (1992) 57– 72
SHEPHERDSON, J.C., Mints type deductive calculi for logic programming 56 (1992) 7– 17
SHORE, R.A., *see* CENZER, D. 59 (1993) 79–139
SLAMAN, T.A., The density of infima in the recursively enumerable degrees 52 (1991) 155–179
SLAMAN, T.A., *see* DOWNEY, R. 56 (1992) 221–237
SOARE, R.I., *see* COOPER, S.B. 55 (1992) 125–151
SOARE, R.I., *see* JOCKUSCH Jr, C.G. 52 (1991) 39– 64
SPECTOR, M., Iterated extended ultrapowers and supercompactness without choice 54 (1991) 179–194
STEPHAN, F., *see* KUMMER, M. 60 (1993) 133–150
STOB, M., *see* DOWNEY, R. 59 (1993) 175–199
SURESON, C., About Prikry generic extensions 51 (1991) 247–278
SURESON, C., Symmetric submodels of a Cohen generic extension 58 (1992) 247–261

TAKAHASHI, M., *see* FUCHINO, S. 55 (1992) 265–284
TAKEUTI, G., *see* CLOTE, P. 56 (1992) 73–117
TAKEUTI, G., *see* KRAJÍČEK, J. 52 (1991) 143–153
TANAKA, K., Weak systems of determinacy and subsystems of analysis II (Σ^0_2 games) 52 (1991) 181–193
TONINO, H. and FUJITA, K., On the adequacy of representing higher order intuitionistic logic as a pure type system 57 (1992) 251–276
TUURI, H., *see* HYTTINEN, T. 52 (1991) 203–248

VALENTINI, S., *see* BOSSI, A. 57 (1992) 93–149
VAN DEN BERG, I.P., Extended use of IST 58 (1992) 73– 92
VAN DEN DRIES, L. and HOLLY, J., Quantifier elimination for modules with scalar variables 57 (1992) 161–179
VARDI, M.Y., Verification of concurrent programs: the automata-theoretic framework 51 (1991) 79– 98

WEIERMANN, A., *see* RATHJEN, M. 60 (1993) 49– 88
WOODIN, W.H., *see* KECHRIS, A.S. 52 (1991) 93– 97

YAKHNIS, A., *see* GONCHAREV, S. 60 (1993) 207–235
YAKHNIS, V., *see* GONCHAREV, S. 60 (1993) 207–235
YASUMOTO, M., Nonstandard arithmetic of Hilbert subsets 52 (1991) 195–202
YU, X., Riesz representation theorem, Borel measures and subsystems of second-order arithmetic 59 (1993) 65– 78

ZAIONC, M., λ-Definability on free algebras 51 (1991) 279–300
ŽIVALJEVIĆ, B., Every Borel function is monotone Borel 54 (1991) 87– 99